Please check the examination detail	ils bel	ow before ente	ring your candidate information
Candidate surname			Other names
Pearson Edexcel Level 1/Level 2 GCSE (9–1)	Cen	tre Number	Candidate Number
Time 1 hour 45 minutes		Paper reference	1CH0/1H
Chemistry PAPER 1H Higher Tier			
You must have: Calculator, ruler	_		Total Marks

Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ▶







Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 When heated, zinc carbonate decomposes to form zinc oxide and carbon dioxide gas.

$$ZnCO_3 \rightarrow ZnO + CO_2$$

(a) A student investigated the decomposition of a sample of zinc carbonate.

The student used the following method.

- step 1 the mass of an empty crucible was determined
- **step 2** a sample of zinc carbonate was placed into the crucible
- step 3 the mass of the crucible and the zinc carbonate was determined
- **step 4** the crucible and zinc carbonate was heated for five minutes
- **step 5** the mass of the crucible and contents was determined.

Figure 1 shows the apparatus used.




Figure 1

Suggest how the student could confirm that the decomposition was complete.

(3)

(b) The theoretical maximum yield of zinc oxide was 1.86 g.	
The actual yield was 1.63 g.	
Calculate the percentage yield of zinc oxide.	(2)
percentage yi	eld =
(c) Another student carried out the experiment using a similar method. The student used a blue, roaring Bunsen burner flame and placed a	
State why the student used a blue, roaring flame and a lid.	(2)
why a blue, roaring flame	
why a lid	
(Total for Que	estion 1 = 7 marks)



- The scientist John Dalton lived over 200 years ago.
 - (a) John Dalton suggested an early model of atoms.

When Dalton first described atoms he said that

- all elements are made of atoms
- atoms are not formed of any smaller particles
- all atoms of the same element are identical.

Give two differences between Dalton's model of atoms and today's model of atoms.

1	
2	

(b) Dalton also investigated different gases.

One of the gases that Dalton investigated was ethene.

The structure of one molecule of ethene is shown in Figure 2.

Figure 2

Give the molecular formula and the empirical formula of ethene.

(2)

molecular formula

empirical formula

	e two produ		ion of hydrog	en chloride and		
(i)	Complete t state symb		equation for th	nis reaction, incl	uding the thr	ee missing
						(3)
	() +		() ================================		() + HCl
(ii)	Hydrogen	chloride soluti	on is acidic.			
	The formul	ae of four ions	are shown in	Figure 3.		
		H ⁺	H ⁻	Cl ⁺	Cl⁻	
			F: a	jure 3		
	to be acidio		on in Figure 3	that causes the	hydrogen ch	(1)
				formu	ıla	
(iii) An acid rea	acts with an all	kali.			
	Give the na	ame of this typ	e of reaction.			(1)
						(1)
				(Tota	l for Questio	n 2 = 9 marks)


•	() A						
3			of potable water contains impurities.				
	Why is this sample of water potable even though it contains impurities? (1)						
	×	A	the impurities have no smell	(-)			
	\times	В	the impurities are colourless				
	×	C	the impurities are harmless				
	×	D	the impurities are soluble				
			ter can be used to produce drinking water. esses used include sedimentation, filtration and chlorination.				
	(i) W	/hat	is sedimentation?	(1)			
	[X	A the waste water is heated so the impurities evaporate	(1)			
		X	B the waste water has an acid added to remove impurities				
	[X	C the impurities in the waste water settle to the bottom of their con	tainer			
	[X	D the impurities in the waste water are bleached				
	(ii) S1	tate	why the waste water is filtered.	(1)			
	(iii) S1	tate 1	the reason for chlorination.	(1)			

(c) Some salts can be added to waste water to remove impurities.

In an experiment, different masses of salt **A** were added to 1000 cm³ samples of waste water. The experiment was repeated with salt **B**.

The percentages of impurities removed from the waste water are shown in Figure 4.





mass of salt in mg per 1000 cm³ water

Figure 4

It was concluded that the best way to purify 1000 cm³ of the waste water is to add 100 mg of salt **B**.

Use the information about salt **A** and salt **B** in Figure 4 to evaluate this conclusion.

(3)

(d) Waste water may contain phosphate ions, PO₄³⁻.

Aluminium ions react with phosphate ions to form aluminium phosphate.

Complete the ionic equation for the formation of aluminium phosphate in this reaction.

(2)

(Total for Question 3 = 9 marks)

- 4 Aluminium alloys are used instead of pure aluminium in aircraft manufacture.
 - (a) Explain, in terms of the arrangement of metal particles, why aluminium alloys are stronger than pure aluminium.

(3)


(b) A 695.0 g sample of an aluminium-magnesium alloy contains 2.00% by mass of magnesium. Calculate the mass of aluminium in this sample.

(2)

mass of aluminium =g

(c) Figure 5 shows a graph of the relative strength of aluminium-magnesium alloys when the percentage by mass of magnesium in the alloy is changed.

relative strength of alloy



percentage by mass of magnesium in alloy

Figure 5

(i) Describe what Figure 5 shows about the relative strength of these alloys whe the percentage by mass of magnesium changes.	en (2)
(ii) Determine, using Figure 5, the percentage by mass of aluminium in an aluminium-magnesium alloy with a relative strength of 103.	(2)
percentage by mass of aluminium =(d) Metal objects can be electroplated with gold. Give two reasons why metal objects are electroplated with gold.	(2)
1	narks)




5	Thi	s ques	tion	is about electrolysis.			
	(a)	A sam	ple	of molten potassium bromide is electrolysed.			
	What are the two products formed?						
		×	A	hydrogen and oxygen			
		×	В	hydrogen and bromine			
		×	C	potassium and oxygen			
		X	D	potassium and bromine			
	(b)	Zinc c	hlor	ide and zinc carbonate contain ions.			
				ide mixed with water can be electrolysed. onate mixed with water cannot be electrolysed.			
		Explai	in th	is difference.	(2)		
	(c)	the ca	tho	ctrolysis of sodium chloride solution, bubbles of a colourless gas form at de. when mixed with air, burns with a squeaky pop.			
		(i) Id	entif	fy this gas.	(1)		
		(ii) Ex	plai	n how this gas is formed at the cathode.	(2)		



- (d) A solution of copper sulfate in a beaker is electrolysed using copper electrodes.
 - (i) Draw a labelled diagram to show how this experiment would be set up.

 The beaker has been drawn for you.

(2)



(ii) During the electrolysis, the anode gets smaller, the cathode gets larger and the solution remains the same shade of blue.

the anode gets smaller

Give the reason for each of these observations.

(3)

(Total for Question 5 = 11 marks)

6	(a)	Copper	carbonate	reacts	with	dilute	nitric	acid
---	-----	--------	-----------	--------	------	--------	--------	------

(i) During the reaction the copper carbonate powder completely disappears.

State what can be deduced about the amount of acid used.

(1)

(ii) During the reaction, the pH of the mixture changed from 2 to 6.

By what factor has the concentration of the hydrogen ions in the mixture changed?

(1)

- \triangle A \times 10 000
- \square B \times 4
- \square D $\times \frac{1}{10000}$
- (b) Using different reactants, a solution of copper sulfate was prepared.

Describe what should be done to obtain copper sulfate crystals from this copper sulfate solution.

(2)



(c)	When chloride ions are added to a pale blue solution containing copper ions, the
	mixture turns yellow.

This is a reversible reaction.

What effect does the removal of chloride ions have on the colour of the yellow mixture?

(1)

- A does not change colour
- **B** turns blue
- C turns colourless
- **D** turns darker yellow
- (d) Hydrated copper sulfate has the formula CuSO₄.5H₂O.

 The formula tells us that each mole of copper sulfate contains 5 moles of water.

A sample of CuSO₄.5H₂O was heated gently until all the water was removed to form anhydrous copper sulfate, CuSO₄.

$$CuSO_4.5H_2O \rightarrow CuSO_4 + 5H_2O$$

The mass of water formed was 4.5 g.

Calculate the mass of hydrated copper sulfate that was heated.

(relative atomic masses: H = 1.0, O = 16.0; relative formula mass: $CuSO_4.5H_2O = 249.5$)

(4)

mass of $CuSO_4.5H_2O =$ g

(Total for Question 6 = 9 marks)



7	(a)	The order of reactivity of copper, magnesium and zinc can be determined by the displacement reactions between these metals and solutions of their salts. You are provided with samples of the three metals solutions of copper sulfate, magnesium sulfate and zinc sulfate. Describe the experiments that can be done to determine the order of reactivity of these metals by displacement reactions.	(3)
	(b)	Metals can be extracted from ores found in the Earth's crust. Explain why aluminium cannot be extracted from its ore by heating with carbon but can be extracted by electrolysis.	(2)
	(c)	Titanium is extracted from its ore in several stages. In the first stage, titanium chloride is formed as a gas. The gas is cooled to form liquid titanium chloride containing dissolved impurities. Suggest how pure titanium chloride could be separated from the impurities.	(1)



(d) In another stage, the pure titanium chloride, TiCl₄, is reacted with 500 moles of magnesium, an excess.	
$TiCl_4 + 2Mg \rightarrow Ti + 2MgCl_2$	
(i) Calculate the number of moles in 45 000 grams of titanium chloride.	
(relative atomic masses: Cl = 35.5, Ti = 48.0)	(2)

	number of moles titanium chloride =
(ii)	Show that the 500 moles of magnesium added is an excess.

(e)	After this reaction, there is a mixture of the solids magnesium, titanium and
	magnesium chloride.

Titanium does not react with dilute hydrochloric acid.

Suggest a simple method to separate titanium from the mixture.

(Total for Question 7 = 11 marks)



(1)

(2)

8	Hydrogen-oxygen fuel cells, rather than chemical cells, can be used to power some vehicles.				
	(a) Give one advantage of using a hydrogen-oxygen fuel ce chemical cell, to power a vehicle.	ll, rather than using a			
	(b) Complete the half-equation for the reaction taking place in a hydrogen-oxygen fuel cell.				
	O ₂ + H ⁺ + —	(2) → H ₂ O			
	(c) Calculate the volume of 48 g of oxygen at room tempera	ture and pressure.			
	(relative atomic mass: $O = 16$, 1 mol of gas occupies $24 dm^3$ at room temperature and p	pressure) (2)			
	volume of	oxygen =dn	 n³		

BLANK PAGE



*(d) The hydrogen used in a hydrogen-oxygen fuel cell can be produced from methanol, CH₃OH.

$$CH_3OH + H_2O \rightleftharpoons CO_2 + 3H_2$$

In this reaction the forward reaction is endothermic and heat energy is taken in from the surroundings.

The conditions used for this reaction are

- a nickel catalyst
- a temperature of 220°C

Explain, in terms of their effects on the rate of attainment of equilibrium and the equilibrium yield of hydrogen, why the reaction is carried out using a catalyst at 220 °C rather than without a catalyst at a lower temperature.

(6)



9 (a) An ion of element **X** can be represented as

125**X**²-

This ion of element **X** has 54 electrons.

Calculate the number of protons and the number of neutrons in this ion.

(2)

number of protons

number of neutrons

- (b) A sample of silicon contains isotopes.
 - (i) State, in terms of subatomic particles, how atoms of these isotopes are the same.

(1)

(ii) This sample of silicon contains three isotopes.

92% of the atoms are silicon-28

5% of the atoms are silicon-29

3% of the atoms are silicon-30

Calculate the relative atomic mass of silicon in this sample.

(2)

relative atomic mass =

BLANK PAGE



*(c) Figure 6 shows some properties of three substances, **A**, **B** and **C**.

aubatan sa	malting paint in 96	ability to conduct electricity		
substance	melting point in °C	solid	molten	
A	1180	poor	good	
В	1538	good	good	
С	115	poor	poor	

Figure 6

A, B and C, explaining their properties in terms of their structure and bonding	g. (6)		
	(0)		

(Total for Question 9 = 11 marks)



(3)

10 A sample of solid potassium hydroxide contained soluble, unreactive impurities.

A student tried to find the mass of potassium hydroxide in the sample, using the following method.

- **step 1** measure the mass of the sample of impure potassium hydroxide
- step 2 dissolve the sample in 250 cm³ of water in a beaker
- **step 3** take a 25 cm³ sample of the potassium hydroxide solution using a measuring cylinder and pour into a conical flask
- **step 4** add 3 drops of indicator to the solution
- **step 5** put the conical flask on a white tile
- **step 6** using a burette, add dilute sulfuric acid of known concentration drop by drop to the solution, while swirling the flask
- **step 7** continue adding the sulfuric acid until the colour of the solution changes
- step 8 record the volume of sulfuric acid added
- **step 9** use this result to calculate the mass of pure potassium hydroxide in the sample.
- (a) (i) Suggest **three** ways to improve this method to obtain a more accurate mass of pure potassium hydroxide.

1	
2	
3	





(ii) The indicator used was phenolphthalein.

Which row shows the colour change that would be seen in this titration?

(1)

		colour at start	colour at end point
×	Α	yellow	orange
×	В	orange	yellow
×	C	pink	colourless
X	D	colourless	pink

(b) Another student carried out the titration accurately.

12.15 cm³ of dilute sulfuric acid with a concentration of 0.140 mol dm⁻³ reacted completely with 25.00 cm³ of potassium hydroxide solution.

$$H_2SO_4 \ + \ 2KOH \ \rightarrow \ K_2SO_4 \ + \ 2H_2O$$

Calculate the concentration of this potassium hydroxide solution.

(4)

concentration of potassium hydroxide solution =	mol	dm^{-3}

percentage by mass of potassium hydroxide =	
(relative formula mass: KOH = 56.0)	(3)
Calculate the percentage by mass of potassium hydroxide in the impure potassium hydroxide.	
This potassium hydroxide solution was made by dissolving 2.56 g of impure potassium hydroxide to form 250 cm ³ of solution.	
A different solution of potassium hydroxide had a concentration of 0.175 mol dm ⁻³	
	impure potassium hydroxide to form 250 cm³ of solution. Calculate the percentage by mass of potassium hydroxide in the impure potassium hydroxide.

TOTAL FOR PAPER = 100 MARKS

BLANK PAGE



The periodic table of the elements

0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86
7		19 F fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85
9		16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83
4		12 C carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin 50	207 Pb lead 82
က		11 B boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 T thallium 81
	•			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77
	1 X hydrogen				101 Ru ruthenium 44	190 Os osmium 76
				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75
		mass bol lumber		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74
	Key	Key relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73
		relativ atc atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72
				45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba banium 56
_		7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55

^{*} The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.