



Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE **BIOLOGY**

Higher Tier Paper 1H

Tuesday 15 May 2018

Afternoon

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a rulei
- a scientific calculator.

Instructions


- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Exami	ner's Use
Question M	lark
1	
2	
3	
4	
5	
6	
7	
TOTAL	





0 1	Eating food containing Salmonella bacteria can cause illness.
0 1 1	Two symptoms of infection by Salmonella are vomiting and diarrhoea.
	What causes these symptoms?
	[1 mark]
0 1 2	Give two ways a person with a mild infection of Salmonella can help prevent the
	spread of the bacteria to other people. [2 marks]
	1
	2
0 1 3	In very serious infections of <i>Salmonella</i> , a doctor can prescribe drugs to kill
[<u></u>] <u>-</u> 1	the bacteria.
	What type of drug can the doctor prescribe to kill the bacteria?
	[1 mark]
0 1.4	A person with AIDS may take longer than a healthy person to recover from a Salmonella infection.
	Explain why.
	[2 marks]



Do not write

0 1 5

Salmonella bacteria can be transmitted from chickens to humans. Chickens can be vaccinated to prevent the transmission of Salmonella bacteria to humans.

Suggest one other way farmers could prevent the transmission of *Salmonella* from chickens to humans.

[1 mark]


A restaurant owner employed a scientist to test the effectiveness of two kitchen cleaning liquids.

The scientist took samples from two work surfaces:

- before the surfaces had been cleaned with the cleaning liquids
- after the surfaces had been cleaned with the cleaning liquids.

The samples were then analysed for the number of bacteria they contained.

The results are shown in Figure 1.




0 1 6	Which cleaning liquid is the more effective?	Do not write outside the box
	Give a reason for your answer. [1 mark]	
	Cleaning Liquid	
	Reason	
	Question 1 continues on the next page	

hox

The scientist investigated the effect of cleaning liquid A and cleaning liquid B on *Salmonella* bacteria grown in a laboratory.

Figure 2 shows the way the investigation was set up.

Figure 2



The Petri dish was placed in an incubator at 25 °C for 48 hours.

After 48 hours, the scientist calculated the area around each paper disc where no bacteria were growing.

The results are shown in Table 1.

Table 1

Filter paper disc	Area around disc with no bacteria growing in cm2
Water	0
Cleaning liquid A	11
Cleaning liquidB	13

0 1 7	What measurement would the scientist need to take to calculate the area	vhere no
	bacteria were growing?	[1 mark]

*



0 1 8	Give one change to the investigation that would allow the scientist to check if the results are repeatable. [1 mark]	Do not write outside the box
0 1 9	The scientist showed the results to the restaurant owner.	
	Both cleaning liquids cost the same per dm3.	
	Suggest one other factor the restaurant owner should consider when choosing which cleaning liquid to use.	
	[1 mark]	
		11
	Turn over for the next question	

0 2		is the sum of all the chemical re		y.	Do not write outside the box
0 2 1	Give one other metabolic reaction in cells.			[1 mark]	
	Table 2 sho	ws the mean metabolic rate of h			
		Mean metabolic ra	to in k7/m2/hour		
	Age in years	Males Females	te iii k5/iii2/ii0di		
	5	53	53		
	15	45	42		
	25	39	35		
	35	37	35		
	45	36	35		
0 2 2	What two co Tick two box As age incre females incr Males have a five years of The mean m up to 25 year The mean m quickly after	enclusions can be made from the es. ases, mean metabolic rate of ma eases. a higher metabolic rate than fem age. etabolic rate of females decreas	data in Table 2? ales and ales after es faster than males les decreases more	[2 marks]	

0 2 3	Calculate the percentage decrease in the mean metabolic rate of males between 5 years and 45 years of age. Use the equation: decrease in metabolic rate percentage decrease = × 100 original metabolic rate Give your answer to 3 significant figures. [3 marks]	Do not write outside the box			
	Percentage decrease =				
	Question 2 continues on the next page				

Regular exercise can increase metabolic rate.

Two people did five minutes of gentle exercise from rest.

Table 3 shows the effect of the exercise on their heart rates.


Table 3

Time in	Heart rate in beats per minute		
minutes	Person R Person S		
0 (at rest)	60	78	
1	76	100	
2	85	110	
3	91	119	
4	99	129	
5	99	132	

0 2 4	Describe two differences in the response of personR and person S to the exercise.		
	Use information from Table 3.	2 marks]	
	1		
	2		
0 2 5	Complete the line graph in Figure 3 for person S.		
	You should:		
	• add the scale to the x axis		
	• label the x axis.		
	[2	1 marks]	

* 10*





O 2 6 After five minutes of exercise, the heart rate of person S was 132 beats per minute. When person S rested, his heart rate decreased steadily at a rate of 12 beats every minute.

Calculate how much time it would take the heart rate of person S to return to its resting rate.

[2 marks]

minutes

Time =




0 2 7	A student made the following hypothesis about the heart rate of smokers and non-smokers during exercise. "During exercise, the heart rate of smokers increases more than the heart rate of non-smokers." Design an investigation that would allow you to test this hypothesis.	Do not write outside the box
	[6 marks]	
		20



0 3	The circulatory system is composed of the blood, blood vessels and the heart.	Do not write outside the box
0 3 1	Urea is transported in the blood plasma.	
0 3.2	Name two other substances transported in the blood plasma. [2 marks] 2 Some athletes train at high altitude. Training at high altitude increases the number of red blood cells per cm3 of blood. Explain why having more red blood cells per cm3 of blood is an advantage to an athlete.	
0	[3 marks]	
3.3	Which two blood vessels carry deoxygenated blood? Tick twoboxes. Aorta Coronary artery Pulmonary artery Pulmonary vein Vena cava	



Figure 4 shows the three types of blood vessel.





Do not write

0 3.6


Heart rate is controlled by a group of cells. This group of cells act as a pacemaker.

Figure 5 shows a section through the heart.

Draw an X on Figure 5 to show the position of the pacemaker.

[1 mark]

Figure 5



0 3.7

A patient may be fitted with an artificial pacemaker.

What condition may be treated using an artificial pacemaker?

[1 mark]

13



0 4

A student carried out an investigation using chicken eggs.

This is the method used.

- 1. Place 5 eggs in acid for 24 hours to dissolve the egg shell.
- 2. Measure and record the mass of each egg.
- 3. Place each egg into a separate beaker containing 200 cm3 of distilled water.
- 4. After 20 minutes, remove the eggs from the beakers and dry them gently with a paper towel.
- 5. Measure and record the mass of each egg.

Table 4 shows the results.

Table 4

Egg	Mass of egg without shell in grams	Mass of egg after 20 minutes in grams
1	73.5	77.0
2	70.3	73.9
3	72.4	75.7
4	71.6	73.1
5	70.5	73.8

0 4.1	Another student suggested that the result for egg 4 was anomalous.			
	Do you agree with the student?			
	Give a reason for your answer.	[1 mark]		

* 16*



0 4 2	Calculate the percentage change in mass of egg 3 .	[2 marks]
	Percentage change in mass =	
0 4 3	Explain why the masses of the eggs increased.	[3 marks]
0 4 4	Explain how the student could modify the investigation to detection concentration of the solution inside each egg.	ermine the



Chicken egg shells contain calcium. Calcium ions are moved from the shell into the cytoplasm of the egg.

Table 5 shows information about the concentration of calcium ions.

Table 5

Location	Concentration of calcium ions in arbitrary units	
Egg shell	0.6	
Egg cytoplasm	2.1	

0 4 5	Explain how calcium ions are moved from the shell into the cytoplasm of the egg. [3 marks	3]

12




0 5

Plants can be infected by fungi, viruses and insects.

Aphids are small insects that carry pathogens.

Figure 6 shows an aphid feeding from a plant stem.

Figure 6



 $\begin{bmatrix} 0 & 5 \end{bmatrix}$ An aphid feeds by inserting its sharp mouthpiece into the stem of a plant.

Give the reason why the mouthpiece of an aphid contains a high concentration of dissolved sugars after feeding.

[1 mark]

Question 5 continues on the next page



			Do not write
0 5 2	Plants infected with aphids may show symptoms of magnesium deficiency.		outside the box
	Magnesium deficiency symptoms include: • yellow leaves • stunted growth.		
	Explain how a deficiency of magnesium could cause these symptoms.		
	[!	5 marks]	



0 5 3	A farmer thinks a potato crop is infected with potato virus Y (PVY).		
	The farmer obtains a monoclonal antibody test kit for PVY.		
	To make the monoclonal antibodies a scientist first isolates the PVY protein from the virus.		
	Describe how the scientist would use the protein to produce the PVY monoclonal antibody.		
		[4 marks]	

Turn over for the next question

10



0 6	Cystic fibrosis (CF) is a genetic disorder caused by a change in a gene.	Do not write outside the box
0 6 1	What molecule are genes made of? [1 mark	k]
		(V)
0 6 2	CF affects the cell membranes of cells in the lungs and digestive system.	
	What is the function of the cell membrane? [1 marks	k]
	In a narrow with CE, calle lining the lungs and digestive evetem erects too much	
0 6 3	In a person with CF, cells lining the lungs and digestive system create too much mucus.	
	The mucus can: • block the duct leading from the pancreas to the small intestine • block the tubes leading to the alveoli in the lungs.	
	Explain why children with CF grow more slowly than children without CF.	
	[6 marks	s]



Table 6 shows information about people in the UK in 2015. Table 6 Median age in years People with CF 19 Whole population 40 Describe how the median age of a group of people can be determined. [2 marks]				Do not outside box	
Table 6 Median age in years					
Table 6 Median age in years					
Table 6 Median age in years					
Table 6 Median age in years					
Table 6 Median age in years					
Table 6 Median age in years					
Median age in years People with CF 19 Whole population 40 Describe how the median age of a group of people can be determined. [2 marks] Suggest one reason why the median age for people with CF is lower than the median age for the whole population.		Table 6 shows information about people in th	ne UK in 2015.		
People with CF 19 Whole population 40 Describe how the median age of a group of people can be determined. [2 marks] Suggest one reason why the median age for people with CF is lower than the median age for the whole population.		Table	6		
People with CF 19 Whole population 40 Describe how the median age of a group of people can be determined. [2 marks] Suggest one reason why the median age for people with CF is lower than the median age for the whole population.			Median age in years		
Whole population 40 Describe how the median age of a group of people can be determined. [2 marks] Suggest one reason why the median age for people with CF is lower than the median age for the whole population.		People with CF 19	Treatan age in years		
[2 marks] Suggest one reason why the median age for people with CF is lower than the median age for the whole population.					
[2 marks] Suggest one reason why the median age for people with CF is lower than the median age for the whole population.		Describe how the median age of a group of po	conto can ha datarminad		
age for the whole population.	0 6 4	Describe now the median age of a group of pe	eopie can be determined.		
age for the whole population.					
age for the whole population.					
age for the whole population.					
age for the whole population.					
[1 mark]	0 6.5	Suggest one reason why the median age for people with CF is lower than the med age for the whole population.			
				[1 mark]	

0 6 6	People with	a lung function below 30	% may need a lung transplant.		
	Table 7 gives information about people with CF in 2015.				
	Table 7				
		Lung Function (%)	Percentage of people with CF		
	>75 22				
	51 – 75 72			_	
	30 – 50 4				
	<30 2				
	•			_	
	In 2015, the	e total number of people v	with CF in the UK was 10 800.		
			n the UK in 2015 would not need a		
	lung transp	lant.		[2 marks]	
				[2 1114113]	
		Nive			
		Nui	mber of people =		



0 6.7	Lung transplants from donors have risks. One risk is organ rejection.	Do not write outside the box
	Scientists are researching how to solve the problem of organ rejection and hope to use stem cells to create healthy lungs. The healthy lungs can then be transplanted into CF patients without the risk of organ rejection. Describe how scientists may use stem cells to create healthy lungs that are not rejected by the CF patient.	
	[4 marks]	
0 6.8	Some people disagree with the use of stem cells because of the risk of cancer.	
	Give one other reason why some people disagree with the use of stem cells to create new organs for transplants. [1 mark]	
		10



0	7

Table 8 shows information about some food components in cow's milk.

Do not write outside the box

Table 8

	Value per 500 cm3	Recommended Daily Allowance (RDA) for a typical adult
Energy in kJ	1046	8700
Fat in g	8.4	70.0
Salt in g	0.5	6.0
Calcium in mg	605	1000
Vitamin B-12 in µg	4.5	2.4

0 7 1	How much more milk would a typical adult have to drink to get their RDA for calcium compared with the amount of milk needed to get their RDA for vitamin B-12? [3 marks]
	Volume of milk = cm3



0 7 2	Describe how a student could test cow's milk to show whether it contains protein and different types of carbohydrate.	Do not write outside the box
	[6 marks]	
	Question 7 continues on the next page	



Do not write

A scientist investigated the effect of bile on the breakdown of fat in a sample of milk.

The scientist used an indicator that is colourless in solutions with a pH lower than 10, and pink in solutions with a pH above 10.

This is the method used.

- 1. Add 1 drop of bile to a test tube and one drop of water to a second test tube.
- 2. Add the following to each test tube:
- 5 cm3 of milk
- 7 cm3 of sodium carbonate solution (to make the solution above pH 10)
- 5 drops of the indicator
- 1 cm3 of lipase.
- 3. Time how long it takes for the indicator in the solutions to become colourless.

The results are shown in Table 9.

Table 9

	Time taken for the indicator to become colourless in seconds
Solution with bile	65
Solution without bile	143

0 7 3	Explain why the indicator in both tubes became colourless.	[3 marks]




0 7 4	Give the reason why the measurement of the time taken for the indicator to become colourless might be inaccurate. [1 mark	
0 7 \$	Explain the difference in the results for the two test tubes in Table 9. [3 marks	s]
	END OF QUESTIONS	16

* 29*












outside the box



For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.