



**GCSE
CHEMISTRY
8462/2F**

Paper 2 Foundation Tier

Mark scheme

June 2022

Version: 1.0 Final Mark Scheme



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2022 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**.
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks are **not** awarded for a correct final answer from incorrect working.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	100	must be in this order	1	AO1 4.8.1.1 4.10.1.2 RPA8
	7		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	pH probe / meter or universal indicator (paper / solution)	allow wide range indicator (paper / solution)	1	AO1 4.10.1.2 RPA8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	balance measuring cylinder		1	AO1 4.10.1.2 RPA8
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	(mean =) $\frac{1.73 + 1.70 + 1.75 + 1.78}{4}$ = 1.74 (g)		1	AO2 4.10.1.2 RPA8
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	$\frac{1.5 \times 1000}{50}$ = 30 (g)		1	AO2 4.10.1.2 RPA8
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	yellow		1	AO1 4.8.3.1 RPA7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	white		1	AO1 4.8.3.4 RPA7

Total Question 1		11
-------------------------	--	-----------

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	C B A	must be in this order	1	AO3 4.7.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	higher lower	must be in this order	1 1	AO2 4.7.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	scale labelled at 20, 30, 40, (50) % at 2 cm intervals (K) bar drawn to 44%	allow a tolerance of $\pm \frac{1}{2}$ a small square	1 1	AO2 4.7.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	contains more kerosene	allow K contains less kerosene	1	AO3 4.7.1.3 4.7.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	a catalyst		1	AO1 4.7.1.4
	steam		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	C ₁₁ H ₂₄		1	AO2 4.7.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.7	a single bond between two carbon atoms		1	AO1 4.7.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.8	carbon dioxide		1	AO1 4.7.1.3
	water		1	

Total Question 2		12
-------------------------	--	-----------

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	78.09 (%)		1	AO2 4.9.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	ammonia		1	AO1 4.9.1.2
	methane		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	photosynthesis		1	AO1 4.9.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	dissolving carbon dioxide in oceans		1	AO1 4.9.1.2 4.9.1.4
	formation of sedimentary rocks		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	1500 (millions of years ago)		1	AO2 4.9.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	2500 (millions of years ago)	allow a value in the range 2500 to 2700 (millions of years ago)	1	AO3 4.9.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.7	plankton		1	AO1 4.7.1.1 4.9.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.8	(there is) limited evidence	allow the timescale was millions / billions of years	1	AO2 4.9.1.2

Total Question 3			10	
-------------------------	--	--	-----------	--

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	$\begin{array}{ccccccc} & & \text{H} & & \text{H} & & \\ & & & & & & \\ \text{H} & - & \text{C} & - & \text{C} & - & \text{O} - \text{H} \\ & & & & & & \\ & & \text{H} & & \text{H} & & \end{array}$		1	AO1 4.7.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	in hand gel to kill microbes		1	AO1 4.7.2.3

Question	Answers	Mark	AO / Spec. Ref.
04.3	Level 3: The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	3–4	AO1 4.8.1.3 RPA6
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content <ul style="list-style-type: none"> • draw pencil start line • place spot of ink on start line • name suitable solvent • place solvent in beaker • place paper in solvent so solvent is below start line • use a lid • allow solvent / dyes to travel up paper (until near top) • dry • count spots 		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	yeast		1	AO1 4.7.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	(mass =) $\frac{4.4 \times 5}{100}$		1	AO2 4.7.1.3 4.7.2.3
	= 0.22 (kg)		1	
	(conversion 0.22 kg =) 220 (g)	allow a correct conversion of an incorrectly calculated mass	1	
	alternative approach: (conversion 4.4 kg =) 4400 g (1)			
	(mass =) $\frac{4400 \times 5}{100}$ (1)	allow correct use of an incorrectly converted mass		
= 220 (g) (1)				

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	E10 contains more ethanol (produced from sugar than E5)	allow converse argument for E5	1	AO3 4.9.1.3 4.9.2.2 4.9.2.4
	(so) more sugar is used	allow (so) more plants are grown	1	
	(so more) carbon dioxide is absorbed by plants (when growing)	allow (so more) carbon dioxide is used in photosynthesis (by plants)	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.7	(E10 has) less energy (in a fixed mass)	allow cannot travel as far (on a full tank of E10)	1	AO3 4.7.1.3 4.7.2.3

Total Question 4		14
-------------------------	--	-----------

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	<p>Raw material</p> <p>Nitrogen</p> <p>Hydrogen</p> <p>do not accept more than one line from a box on the left</p>	<p>Source of raw material</p> <p>Air</p> <p>Clay</p> <p>Limestone</p> <p>Natural gas</p> <p>Sand</p>	<p>1</p> <p>1</p>	<p>AO1 4.10.4.1</p>

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	<p>gas</p> <p>gas</p>		1	<p>AO1 4.10.4.1</p>

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	<p>there is one product</p>		1	<p>AO2 4.3.3.2 4.10.4.1</p>

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	liquefied	must be in this order	1	AO1 4.10.4.1
	recycled		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	all six points plotted correctly	allow a tolerance of $\pm \frac{1}{2}$ a small square	2	AO2 4.10.4.1
	line of best fit	allow 1 mark for four / five points plotted correctly	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	(percentage yield) increases		1	AO2 4.10.4.1

Total Question 5		10
-------------------------	--	-----------

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	$\text{Na}_2\text{S}_2\text{O}_3 + 2 \text{HCl} \rightarrow 2 \text{NaCl} + \text{H}_2\text{O} + \text{SO}_2 + \text{S}$	allow multiples	1	AO2 4.1.1.1 4.3.1.1 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	(s)		1	AO1 4.2.2.2 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	a cross on a piece of paper		1	AO1 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	the rate of reaction decreased		1	AO3 4.6.1.1 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	one of the reactants was used up		1	AO3 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.6	initially the line of best fit would be steeper		1	AO2 4.6.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.7	fewer reactant particles have the activation energy		1	AO2 4.6.1.2 4.6.1.3
	the reactant particles move more slowly		1	

Total Question 6		8
-------------------------	--	----------

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	nitric acid		1	AO2 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	(mass =) $\frac{40 \times 600}{800\,000}$ = 0.03 (kg/m ²)		1	AO2 4.10.4.2
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	(the scientist might be) biased or (there was) no peer review	allow the investigation was not repeated (by others)	1	AO3 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	one / 1		1	AO2 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	phosphorus		1	AO2 4.10.4.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.6	formulation		1	AO1 4.8.1.2 4.10.4.2

Total Question 7			7	
-------------------------	--	--	----------	--

Question 8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	C=C bond		1	AO2 4.7.3.1
	2x C-H bonds and 2x C-CH ₃ bonds	do not accept extra bonds an answer of $ \begin{array}{cc} \text{CH}_3 & \text{CH}_3 \\ & \\ \text{C} = & \text{C} \\ & \\ \text{H} & \text{H} \end{array} $ scores 2 marks	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2	any one from: <ul style="list-style-type: none"> • (otherwise) the copper (produced) would be impure • (otherwise) the copper (produced) would be a mixture • (otherwise) the insulation would burn / melt (during recycling) • copper and poly(butene) are recycled by different methods 	allow (otherwise) the copper (produced) would be contaminated allow (otherwise) poly(butene) could produce toxic fumes	1	AO3 4.10.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	(wire heated until) copper melts		1	AO1 4.10.2.2
	(re)cast / reformed (into pipes)	allow (re)shaped / extruded / (re)moulded	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	any two from: (recycling scrap copper) <ul style="list-style-type: none"> • uses less energy • conserves copper (ore) • (produces) less waste • specified environmental impact 	allow converse statements for extracting copper from ores ignore references to cost allow less landfill required	2	AO1 4.10.1.1 4.10.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.5	sodium hydroxide (solution)	MP2 dependent on MP1 allow NaOH for sodium hydroxide	1	AO1 4.8.3.2 RPA7
	blue precipitate	allow blue solid	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.6	(add acidified) barium chloride (solution)	MP2 dependent on MP1 allow BaCl ₂ for barium chloride allow (add acidified) barium nitrate (solution) do not accept add sulfuric acid	1	AO1 4.8.3.5 RPA7
	white precipitate	allow white solid	1	

Total Question 8		11
-------------------------	--	-----------

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	24.5 (g)		1	AO2 4.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	water vapour was produced (so) water (vapour) escaped (from the tube)	allow steam for water vapour	1	AO2 4.3.1.3 4.6.2.2
		allow water was produced as a gas		
		allow (so) the mass of the water (vapour) was not measured	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	(so that) the reaction was complete	allow (so that) no more water (vapour) was produced	1	AO3 4.6.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	(energy =)	allow an answer correctly calculated to 3 significant figures from an incorrect calculation which uses all the values in the question		AO2 4.6.2.2
	$\frac{2.00}{238} \times 88.1$		1	
	= 0.740336134 (kJ)		1	
	= 0.740 (kJ)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	endothermic (reaction)	allow reversible (reaction) allow (thermal) decomposition (reaction)	1	AO1 4.6.2.2

Total Question 9		8
-------------------------	--	----------

Question 10

Question	Answers	Mark	AO / Spec. Ref
10.1	Level 3: A judgement, strongly linked and logically supported by a sufficient range of correct reasons, is given.	5–6	AO3 4.10.1.1 4.10.2.1
	Level 2: Some logically linked reasons are given. There may also be a simple judgement.	3–4	
	Level 1: Relevant points are made. They are not logically linked.	1–2	
	No relevant content	0	
	<p>Indicative content</p> <p>raw materials</p> <ul style="list-style-type: none"> • crude oil is finite • quarrying / mining pollute the environment • glass uses more energy to process raw materials <p>manufacturing</p> <ul style="list-style-type: none"> • glass uses more energy to make bottles • glass is heavier so takes more energy to transport <p>use and operation</p> <ul style="list-style-type: none"> • glass bottles are reusable • reuse of glass conserves (natural) resources • reuse of glass consumes energy during washing • reuse of glass consumes water during washing <p>disposal</p> <ul style="list-style-type: none"> • both glass and polymer bottles can be recycled • recycling polymer conserves finite resources • recycling glass and polymer uses less energy than making new glass and polymer • both methods reduce use of landfill <p>other points</p> <ul style="list-style-type: none"> • energy needed may be derived from fossil fuels • use of fossil fuels causes (specified) pollution • total energy for glass (bottle) (7500 kJ) is greater than total energy for polymer (bottle) (1800 kJ) <p>reasoned judgement</p>		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.2	mass = density \times volume		1	AO2
	mass = 0.40 \times 40		1	4.10.1.1
	= 16 (g)		1	4.10.2.1

Total Question 10		9
--------------------------	--	----------