

GCSE BIOLOGY

PAPER 2H

Mark scheme

Specimen 2018

Version 1.0

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining 2.1

In a list of acceptable answers where more than one mark is available 'any two from' is used, Wilhathe number of marks emboldened.— Each of the following bullet points is a potential mark.

A. gold is used to indicate that both parts of the answer are required to award the mark.

Alternative answers acceptable for a mark are indicated by the use of or. Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.

Any wording that is underlined is essential for the marking point to be awarded. 3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response.— So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks
		awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student Response Marks awarded

1 Neptune, Mars, Moon 1

2 Neptune, Sun, Mars, 0

Moon

Use of chemical symbols / formulae 3.2

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working.

Full marks can however be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation 'ecf' in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited unless there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Ignore / Insufficient / Do not allow

Ignore or insufficient are used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do not allow means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

Level of response marking instructions

Level of response mark schemes are broken down into levels, each of which has a descriptor. The descriptor for the level shows the average performance for the level. There are marks in each level.

Before you apply the mark scheme to a student's answer read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1 Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer and not look to pick holes in small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level and then use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 3 with a small amount of level 4 material it would be placed in level 3 but be awarded a mark near the top of the level because of the level 4 content.

Step 2 Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the Indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	(Jean Baptiste) Lamarck	allow phonetic spelling	1	AO1/1 4.6.3.1
01.2	(snake is) covered in sediment / mud or sinks into the mud (then) the soft parts decay / are eaten or bones / hard parts do not decay (so) minerals enter bones or bones are replaced by minerals		1 1	AO2/1 4.6.3.5 AO2/1 4.6.3.5 AO1/1 4.6.3.5

Question 1 continued

Question	Answers	Mark	AO / Spec. Ref.
01.3	Level 2: A detailed and coherent explanation is provided. Logical links between clearly identified, relevant points explain how the rat snake evolved through the process of natural selection.	3–4	AO2/1 4.6.3.1
	Level 1: Simple statements made, but not precisely. The logic is unclear.	1–2	AO1/1 4.6.3.1
	No relevant content	0	
	Indicative content		
	statements: • there are lots of different colours of snakes • some shades of green are closer to the colour of the environment (in Japan) than others • survivors (in each generation) will breed and produce offspring explanations: • different colours are controlled by different genes / alleles / are caused by mutations • being green means they are best suited to grassy / green environments • being green means they are camouflaged • those that are camouflaged best will be able to catch more food • those that are camouflaged best will be able to avoid being eaten • survivors' offspring will inherit the genes / alleles / mutation for the shade of green colouration additional examiner guidance: • allow converse points relating to the Texas rat snake if they		
	clearly identify the reasons why this snake was at an evolutionary disadvantage, ie more likely to be caught and eaten by a predator • a good level 2 answer will clearly link survival and breeding to the passing on of the advantageous genes / alleles / mutations and link the idea of colour (AO2) to a correct explanation of its significance for survival		

Question 1 continues on the next page

Question 1 continued

Question	Answ	ers	Mark	AO / Spec. Ref.
01.4	any one from:		1	AO1/1 4.6.3.6
Total			9	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	methane is produced which is a greenhouse gas / causes global warming	ignore bad smell	1	AO1/1 4.7.2.3 AO1/1 4.7.3.5
02.2	(9.80/0.20 = 49 therefore) 49:1		1	AO2/2 4.4.1.3
02.3	horse (manure) closest to 25:1 (ratio)	allow ecf from 02.2	1	AO3/2a 4.7.2.3

Question 2 continues on the next page

Question 2 continued

Question	Answers	Mark	AO / Spec. Ref.
02.4	Level 3: A detailed and coherent explanation is given, which logically links how carbon is released from dead leaves and how carbon is taken up by a plant then used in growth.	5–6	AO1/1 4.4.1.1 4.4.1.3
	Level 2: A description of how carbon is released from dead leaves and how carbon is taken up by a plant, with attempts at relevant explanation, but linking is not clear.	3–4	4.4.2.1 4.7.2.2
	Level 1: Simple statements are made, but no attempt to link to explanations.	1–2	
	No relevant content	0	
	Indicative content		
	statements: • (carbon compounds in) dead leaves are broken down by microorganisms / decomposers / bacteria / fungi • photosynthesis uses carbon dioxide		
	explanations:		
	 (microorganisms) respire (and) release the carbon from the leaves as carbon dioxide plants take in the carbon dioxide released to use in photosynthesis to produce glucose 		
	use of carbon in growth:		
	 glucose produced in photosynthesis is used to make amino acids / proteins / cellulose (which are) required for the growth of new leaves 		
02.5	any three from: (storage conditions) • (at) higher temperature / hotter	3	AO2/1 4.7.2.3
	(had) more oxygen (had) more water / moisture (contained) more microorganisms (that cause allow reference to bacteria / decay) fungi / mould		
Takil		40	
Total		13	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	any two from: • so that they do not have specific genetic defects • to produce docile cats or so allow they are not aggressive sure. • for aesthetic reasons allow described aesthetic reasons.	ch as biting and scratching	2	AO1/1 4.6.2.3
03.2	(cats) are more likely to pass on (recessive) disorders or more likely to be susceptible to diseases		1	AO1/1 4.6.2.3
03.3	Level 2: A detailed and coherent of logically links the process of selection this produces cats that do no	ctive breeding with explanations of	3–4	AO2/1 4.6.2.3
	Level 1: Simple statements relating breeding, but no attempt to link to	•	1–2	
	No relevant content		0	
	Indicative content process: parents with the desired charact the parents are bred together to offspring with the desired charact this is repeated over many gener explanations: parents who produce the least F in their offspring there will be indo of Fel D1 produced of these, in each generation, the individuals are chosen care is taken to ensure cats are problems associated with selectiv over time the population of (sele less Fel D1	produce offspring acteristics are selected and bred rations. Tel D1 are initially selected lividuals with differing amounts Towest Fel D1 producing healthy and avoid possible e breeding		
Total			7]

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	wear a face mask	allow wear gloves	1	AO2/2 4.7.2.3
04.2	Level 2: A detailed and coherent plant sets out the steps needed in a long followed by another person to proaddress the hypothesis.	ogical manner that could be	3–4	AO2/2 4.7.2.3
	Level 1: Simple statements relation may not be in a logical order. The person to produce an outcome where the statements relation may not be in a logical order.	plan may not allow another	1–2	
	No relevant content		0	
	Plan: cut a specified number of pieces place mould spores on the breac the number of mould spores need mould spores on each piece of brould spore in different temperatures (for incom, incubator) leave each for the same amount measure the percentage cover of repeat experiment additional examiner guidance: good level 2 answer will describe be measured and will give a range be used allow equivalent levels of credit to that would clearly produce a mould growth at various temperations.	eds to be the same quantity of ead plastic bags minimum of three) eg fridge, of time eg four days of mould on each piece of bread • e how the growth of mould can e of different temperatures to for alternative methodologies easurable outcome in terms of		

Question 4 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	any one from: • type of mould • amount of mould (put on each piece of bread) • amount of air in the plastic bags • size of the pieces of bread • type of bread • amount of moisture / water added		1	AO3/3a 4.7.2.3
04.4	(56 – 4 = 52) / 5 10.4	allow 10.4 with no working shown for 2 marks ecf for incorrectly read figures for 1 mark	1	AO2/2 4.7.2.3 AO2/2 4.7.2.3
04.5	(decomposition occurs at a faster rate when the temperature is higher or amount of decomposition is higher when temperature is higher		1	AO3/2b 4.7.2.3
Total			9	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	pupils dilated (at B)	allow converse for A	1	AO2/1 4.5.2.3
i	n dim light / low light levels		1	AO1/1 4.5.2.3
	because circular muscles (in		1	AO2/1 4.5.2.3
	ris) relax (and) radial muscles contract		1	AO2/1 4.5.2.3
				AO1/1
05.0	igure 5 shows myopia where allow ight does not focus on the retina	refraction	1	4.5.2.3 AO1/1
1	n figure 6 the lens bends the ight so that light focuses on the etina		1	4.5.2.3
Total			6]

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	any two from: • drop the ruler from the same height each time • let the ruler drop without using any force • same type / weight of ruler • thumb should be same distance from the ruler each time at the start • use the same hand to catch the ruler each time • carry out the experiment with the lower arm resting in the same way on the table	allow description of holding bottom edge of ruler opposite the catcher's thumb	2	AO3/3a 4.5.2.1
06.2	117		1	AO2/2 4.5.2.1
06.3	11. 6 490 539 0.154	allow 01539 with no working shown for 2 marks allow 0.154 with no working shown for 3 marks allow ecf as appropriate	1 1 1	AO2/2 4.5.2.1 AO2/2 4.5.2.1 AO2/2 4.5.2.1

Question 6 continues on the next page

Question 6 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	no indication beforehand when the colour will change or you might be able to tell when the person is about to drop the ruler measurement of time is more precise (than reading from a ruler) or resolution (of computer timer) is higher		1	AO3/2a 4.5.2.1 AO3/2a 4.5.2.1
06.5	cerebral cortex	allow cerebrum ignore identified lobes	1	AO2/2a 4.5.2.2
06.6	cerebellum		1	AO2/2a 4.5.2.2
Total			10	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	phosphate	allow PO3- 4 do not allow P	1	AO1/1 4.6.1.5
07.2	A / adenine and T / thymine and C /cytosine and G / guanine	do not allow U / uracil	1	AO1/1 4.6.1.5
07.3	(mutation) changes from C to T DNA code or there is a change in the three bases / triplet from CAG to TAG (mutation) changes the amino acid (this could) change the protein (so it) forms a different shape / changed active site (therefore) the enzyme no longer fits the substrate / carbohydrate	accept different tertiary structure	1 1 1	AO2/1 4.6.1.5 AO1/1 4.6.1.5 AO1/1 4.6.1.5 AO1/1 4.6.1.5

Question 7 continues on the next page

Question 7 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	mother / woman's gametes correct: A a father / man's gametes correct: a a correct derivation of offspring identification of child with syndrome H or genotype aa 0.5	ecf ecf allow 50% / 1/2 / 1 in 2 / 1:1 do not accept 1:2	1 1 1 1	AO2/2 4.6.1.6 AO2/2 4.6.1.6 AO2/2 4.6.1.6 AO2/2 4.6.1.6 AO3/2b 4.6.1.6
Total			12	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	any two from: • diseases spread more rapidly • antibiotics can build up in the food chain or over use of antibiotics • increased use of fossil fuels (to heat the barn)		2	AO3/1b 4.7.5.2
08.2	Level 2: Clear statements made in which are linked to relevant expla efficiency of food production.	, ,	3–4	AO2/1 4.4.2.1 4.4.2.3
	Level 1: Simple statements made identifying the farming methods used, but no attempt to link to explanations of how this increases the efficiency of food production.		1–2	4.5.2.4 4.7.5.2
	No relevant content		0	
	Indicative content statements: • kept inside or in a temperature of the kept enclosed or in a restricted of the explanations: • less energy / heat is lost in control to the enclosed or in a restricted of the explanations: • less energy / heat is lost in control to the energy required for movement of the energy is available for of the energy / heat is transferred	environment colling body temperature ent growth		
08.3	(362 - 67 = 295)/362 × 100		1	AO2/2 4.7.5.2
	81 / 81.49 / 81.5 allow 81 / 81.49 working shown for 2 marks	81.5 with no	1	AO2/2 4.7.5.2

Question 8 continues on the next page

Question 8 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	aboriginal people can eat other foods (so they may not be in food insecurity) we do not know if other (traditional) food sources have declined		1	AO3/1b 4.7.5.2 AO3/1b 4.7.5.2
Total			10	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	if too high <u>insulin</u> released from pancreas	allow glucose is stored	1	AO1/1 4.5.3.2
	so glucose is moved into cells	anow glacose is stored	1	AO1/1 4.5.3.2
	if too low, glucagon is released (from pancreas)		1	AO1/1 4.5.3.2
	causes glycogen to be converted to glucose and released into the blood		1	AO1/1 4.5.3.2
09.2	type 1 not enough / no insulin produced whereas type 2 cells do not		1	AO1/1 4.5.3.2
	respond to insulin type 1 is treated with injections		1	AO1/1 4.5.3.2
	of insulin whereas type 2 is treated with		1	AO1/1 4.5.3.2
	diet and exercise or loss of weight or drugs		1	AO1/1 4.5.3.2

Question 9 continues on the next page

Question 9 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	(3.45 × 106) + (5.49 × 105) = 3.999 × 106 or 3 450 000 + 549 000 = 3 999 000	allow 3.999 × 106 or 3 999 000 with no working shown for 1 mark	1	AO2/2 4.5.3.2
	3.999 × 106 100 .5 7 of 6× 10 3 999 000 65 000 000 × 100	allow 6.15 with no working shown for 2 marks allow for 1 mark for a calculation using either: 3.45 × 106 6.5 × 107	1	AO2/2 4.5.3.2
	= 6.15	or 3 450 000 65 000 000 or 5.49 10 6.5 40 549 000 65 000 000	1	
	6.2	allow 6.2 with no working shown for 3 marks allow ecf from second step correctly rounded for 1 mark	1	AO2/2 4.5.3.2

Question 9 continues on the next page

Question 9 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	could be other reasons for glucose in urine or blood test gives current / immediate result, urine levels might be several hours old or not always glucose in urine		1	AO3/1a 4.5.3.2
09.5	results not affected by glucose from food or 8 hours is sufficient time for insulin to have acted on any glucose from food eaten or so that there is a low starting point to show the effect		1	AO2/1 4.5.3.2
09.6	(patient A) glucose level much higher (than B) and remains high / does not fall	no mark for identifying A	1	AO3/2a 4.5.3.2 AO3/2a 4.5.3.2
Total			14	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	too much thyroxine is released into the blood		1	AO1/1 4.5.3.7
	which raises BMR		1	AO1/1 4.5.3.7
	causing increase in formation of glycogen / lipids / proteins or increase in rate of respiration or increase in breakdown of excess proteins		1	AO1/1 4.5.3.7
10.2	FSH causes eggs to mature and stimulate ovaries to produce oestrogen		1	AO1/1 4.5.3.4
	LH stimulates the egg to be released		1	AO1/1 4.5.3.4
10.3	(missing a dose causes a) dip / drop in progesterone levels		1	AO2/1 4.5.3.4
	(therefore) FSH is not inhibited anymore	allow (and consequently)	1	AO2/1 4.5.3.4
	(therefore) LH is not inhibited anymore	an egg is available to be fertilised	1	AO2/1 4.5.3.4 AO3/1b
	(and consequently) an egg is matured and released		1	4.5.3.4
Total			9	

MARK SCHEME – GCSE BIOLOGY – PAPER 2H – SPECIMEN MATERIAL

