$\overline{}$			٠.	_	
( )	u	еѕ	TΙ	റ	ns
~	J	-	٠.	$\overline{}$	

Q1.

Some questions must be answered with a cross in a box  $\boxtimes$ ). If you change your mind about an answer, put a line through the box  $\boxtimes$ ) and then mark your new answer with a cross  $(\boxtimes)$ .

Potable water is water that is suitable for drinking.

River water can be treated to make it potable.

Chlorination, filtration and sedimentation are three of the processes involved in making the river water potable.

(i) Which row of the table shows these three processes in the order in which they are carried out?

(1)

first second third 1 A chlorination sedimentation filtration ) d B chlorination filtration sedimentation C sedimentation filtration chlorination D sedimentation chlorination filtration

(ii) State the reason why chlorine is added during the water treatment.

(1)

(iii) Describe how sedimentation is carried out.

(iv) Figure 5 shows the results of an analysis of a sample of potable water.

ion	concentration in mg dm <sup>-3</sup>
chloride	60.70
fluoride	0.24
nitrate	24.90
sulfate	71.40
copper	0.05
magnesium	9.10

Figure 5

	Using this information, explain why this sample of potable water is not the swater.	same as pure
		(2)
••••		
••••		
••••		
••••		
	(Tatal for avertion - Com	aula)
	(Total for question = 6 ma	II KS)

Q2.

Inks contain coloured dyes. Samples of four inks, W, X, Y and Z, were separated using paper chromatography. Figure 5 shows the chromatogram obtained.




Figure 5

(i) In the experiment, the solvent front moved 6.5 cm.	
Calculate the Rf value of the dye that is present in both inks X and Z.	(1)
	(1)
Rf =	
KI	
(ii) State what could be changed in the experiment to make the Rf value more	e accurate.
	(1)
	••••
	••••
(iii) In this experiment, ink sample Y did not move from the start line.	
Explain a change to the experiment that would be needed to separate the sample Y.	dyes in ink
·	(2)

(Total for question = 4 marks)

dexcel	Chemistry	GCSE - Separating and purifying substances	
	Q3.		
	your mind	ne question with a cross in the box you think is correct $\boxtimes$ . If you change d about an answer, put a line through the bo $x$ and then mark your ne ith a cross $\boxtimes$ .	w
	A sample	of potable water contains impurities.	
	Why is th	is sample of water potable even though it contains impurities?	
	□ A □ B □ C □ D	the impurities have no smell the impurities are colourless the impurities are harmless the impurities are soluble	(1)

(Total for question = 1 mark)

Q4.

The apparatus for a simple distillation is shown in Figure 1.




Figure 1

(i) Use words from the box to complete the sentences.

You may use each word once, more than once, or not at all.

condensation	distillate	evaporation
gas	residue	solid

	(3)
Simple distillation is used to separate a liquid from a	
In the apparatus labelled A, vapour is cooled to form liquid.	
This process is called	
The liquid collected in the beaker is known as the	
(ii) Pure water collects in the beaker.  Explain how the apparatus will show that the liquid collected is pure water.	(2)

(Total for question = 5 marks)

Q5.

Answer the question with a cross in the box you think is correct. If you change your mind about an answer, put a line through the bo $\bowtie$  and then mark your new answer with a cross.

Waste water can be used to produce drinking water. The processes used include sedimentation, filtration and chlorination.

(i)	What	is	sedi	imer	ntatic	n?
-----	------	----	------	------	--------	----

26 26 26 26	A B C D	the waste water is heated so the impurities evaporate the waste water has an acid added to remove impurities the impurities in the waste water settle to the bottom of their contai the impurities in the waste water are bleached	ner
(ii) St	ate v	why the waste water is filtered.	
			(1)
(iii) St	ate t	he reason for chlorination.	
			(1)
			•
			•

(Total for question = 3 marks)

Edexcel Chemistry GCSE - Separating and purifying substances	
Q6.	
A sample of rock salt contains a mixture of sodium chloride and some insoluble substances	<b>.</b>
The rock salt is added to water and the mixture stirred.	
The mixture is then filtered to obtain a filtrate of sodium chloride solution.	
(i) Draw a labelled diagram of the apparatus used to filter the mixture and collect the sodiuchloride solution.	m
(2)	
(ii) Describe how a sample of pure, dry sodium chloride crystals can be obtained from the filtrate.	
ilitiate. (3)	
(Total for question = 5 marks)	

Q7.

In a different method of obtaining nickel, the process produces a mixture of the liquids nickel tetracarbonyl and iron pentacarbonyl.

The boiling point of nickel tetracarbonyl is 43 °C.

The boiling point of iron pentacarbonyl is 103 °C. These two liquids mix together completely.

Describe the process used to separate these two liquids.

(3)
_

(Total for question = 3 marks)

Q8.

\* A sample of water was contaminated with a dissolved solid.

Devise a plan to separate pure water from this mixture, including a test to show that the water obtained is neutral.

You may use some or all of the apparatus shown in Figure 11 and any other laboratory apparatus.





Figure 11

(6)

(Total for question = 6 marks)

Q9.

A student set up the apparatus shown in Figure 4 to obtain pure water from sea water by distillation.



	heat		
	Figure 4		
(i) Explain how the water in sea apparatus.	a water separates to p	roduce the pure water in t	this
аррагасас.			(2)
			· <b></b>
(ii) Explain how the apparatus collected from the same volum		increase the amount of p	ure wate
			(2)
			••••
			···

(Total for question = 4 marks)

Q10.

Potable water is water that is suitable for drinking.

A student wanted to distil a sample of potable water. Figure 6 shows apparatus the student used.




Figure 6

(i) Name the piece of equipment labe\() lend Figure 6.	
	(1)
(ii) The student made an error when setting up the equipment in Figure 6. This error meant no water could be collected in the test tube.	
Explain what the student needs to do so water can be collected.	(2)

(Total for question = 3 marks)

Q11.

In analysis, tests are carried out on solids dissolved in water.	
Explain why it is important that the water used is pure.	
	2)

(Total for question = 2 marks)

Q12.

Figure 2 shows a label from a bottle of drinking water.

Pure drinking water	
Mass of dissolved solids in mg per	r 1000 cm³
calcium ions	60
sodium ions	2
hydrogencarbonate ions	200
pH of water	
рН	7

Figure 2

i) Explain why this drinking water should not be described as pure water.	(2)
	(2)
ii) State the information from Figure 2 that chause that the dripking water is n	
ii) State the information from Figure 2 that shows that the drinking water is r	(1)
iii) Calculate the mass of calcium ions in 250 cm3 of this drinking water.	
	(2)
mass = mg	
(Total for guestion = 5 m	arks)

Q13.

Mixtures of substances can be separated using different techniques.

Figure 5 shows the apparatus that a student set up to obtain pure water from ink.

There are three mistakes in the way the apparatus has been set up.




Figure 5

(i) One mistake is that the bulb of the thermometer is too low.	
The bulb of the thermometer should be level with the side arm.  Give a reason why the bulb of the thermometer should be level with the side	arm.
	( . )
(ii) State one other mistake in Figure 5.	
	(1)

(Total for question = 2 marks)

Q14.

Filtration is a method used to separate insoluble solids from liquids.

Figure 9 shows the apparatus used for filtration.




Figure 9

Answer the question with a cross in the box you think is correct  $\boxtimes$ . If you change your mind about an answer, put a line through the box and then mark your new answer with a cross  $\boxtimes$ .

(i) Which letter shows the filtrate?	(1)
□ A	(1)
■ B	
C C	
D D	
(ii) The filter paper has been labelled.  Explain how the filter paper separates the insoluble solid from the liquid.	(2)

(Total for question = 3 marks)

Q15.

Some food colourings are a mixture of soluble, coloured substances. Mixtures of soluble substances can be separated by paper chromatography.

Paper chromatography was used to try to separate the coloured substances in five food colourings, V, W, X, Y and Z.

Figure 10 shows the spots for the five food colourings on the chromatography paper at the start of the experiment.

The paper was placed in a beaker with the bottom of the paper in the solvent.





Figure 10

(i)	Identify the stationary phase in this experiment.	
		(1)
	Give a reason why the spots of the food colourings must be above the level of the level of the level of the level of the paper is placed in the solvent.	of the
		(1)
		···

(iii) Figure 11 shows the chromatogram at the end of the experiment.



	•	147	v		_	
	V	W	Х	Υ	Z	
		Figu	ure 1′	1		
Give the reason why the sp		food	colo	uring	V ha	as not moved during the
chromatography experime	ent.					(1)
		••••••		•••••	•••••	
(iv) Explain by referring to Fig		hi	ch fo	 ad ca		ing contained the greatest number
of soluble, coloured substance		, vvi ii	CITIO	ou co	Jiouri	ing contained the greatest number
,						(2)
	••••••	•••••	•••••	••••••	•••••	
		•••••		•••••	•••••	
(v) One coloured substance in 6.6 cm.	n food	colo	uring	ı X m	oved	5.8 cm when the solvent front moved
	his sul	bstar	nce, g	giving	g you	ur answer to two significant figures.
			Rf va	lue =		
					ſ	(Total for question = 7 marks)
					(	(1. o.ca. 1. o. question / marks)


Q16.		
Mixtur	es of substances can be separated using different techniques.	
Which	of the following is a mixture of substances?	
		(1)
□ A	air	
ВВ	carbon dioxide	
	gold	
■ D	titanium	

Q17.

Mixtures of substances can be separated using different techniques.

Paper chromatography is used to separate the substances in five different food colourings, P, Q, R, S and T.

Figure 6 shows the chromatogram at the end of the experiment.



- (i) The steps needed to carry out the chromatography experiment are listed below. They are not in the correct order.
  - 1 leave the solvent to rise up the paper
  - 2 put solvent in the beaker
  - 3 draw a start line on the piece of paper
  - 4 place the paper in the beaker
  - 5 remove the paper when the solvent is near the top
  - 6 put small spots of the food colourings on the start line

List the steps in the correct order.

The first two steps have been done for you.

		(2)
2	3	

(ii) Explain, using Figure 6, which food colouring contains the greatest substances.	number of coloured
	(2)
(iii) During chromatography of the food colourings, the solvent front n food colouring R moved 2.30 cm.	noved 8.00 cm and the
Calculate the Rf value for food colouring R.	
Give your answer to two significant figures.	(2)
Rf value =	

(Total for question = 6 marks)

Q18.

An ink is a mixture of coloured substances dissolved in water.

The apparatus shown in Figure 9 can be used to separate water from ink.




Figure 9

(i) Cold water flows through the condenser.

On Figure 9 use arrows to show where the water should flow in and where it should flow out.

(ii) Explain why a condenser is used.

(2)

(iii) The flask was heated with a Bunsen burner.

Give the name of an alternative piece of apparatus that could be used to heat the flask.

(Total for question = 4 marks)

(1)

Q19.				
An ink is a mixture of coloured substances dissolved in water.				
Which method is used to separate the coloured substances in the ink?				
<ul> <li>□ A chromatography</li> <li>□ B crystallisation</li> <li>□ C filtration</li> <li>□ D fractional distillation</li> </ul>				
(Total for question = 1 mark)				
Q20.				
After this reaction, there is a mixture of the solids magnesium, titanium and magnesium chloride.	m			
Titanium does not react with dilute hydrochloric acid.				
Suggest a simple method to separate titanium from the mixture.				
(2)				

(Total for question = 2 marks)

Q21.	
Titanium is extracted from its ore in several stages.	
In the first stage, titanium chloride is formed as a gas.	
The gas is cooled to form liquid titanium chloride containing dissolved impuriti	es.
Suggest how pure titanium chloride could be separated from the impurities.	
	(1)

(Total for question = 1 mark)

Edexcel Chemistry GCSE - Separating and purifying substances

Q22.

Some salts can be added to waste water to remove impurities.

In an experiment, different masses of salt A were added to 1000 cm3 samples of waste water.

The experiment was repeated with salt B.

The percentages of impurities removed from the waste water are shown in Figure 10.




Figure 10

It was concluded that the best way to purify 1000 cm3 of the waste water is to add 100 mg of salt B.

Use the information about salt A and salt B in Figure 10 to evaluate this conclusion.

(3
 ••••
 ••••

(Total for question = 3 marks)

# Mark Scheme

Q1.

Question number	Answer		Mark
(i)	C sedimentation filtration chlorination is the only correct answer  A and B are incorrect as sedimentation is the first step  D is incorrect as chlorination is the last step		(1) A01- 1
Question number	Answer	Additional guidance	Mark
(ii)	to kill {bacteria / microorganisms / microbes / pathogens}	ignore germs / diseases  allow viruses  allow 'remove' / 'get rid of' / eliminate for kill  allow to sterilise / disinfect (the water)  ignore to clean / purify / bleach / make water clear	(1) AO1-1
Question number	Answer	Additional guidance	Mark
(iii)	A description including:  • (put waste) water in tank / left to (stand / settle) (1)  • {particles / dirt / impurities / sediment / solid} fall to bottom (1)	allow any put in suitable large or small container e.g. container / beaker  allow for MP1 add a substance that causes clumping / aluminium sulfate  must have idea that particles sink reject large(r) pieces e.g- sand / rocks / branches etc - that would be filtered  ignore any references to filtration before or after sedimentation	

Question number	Answer	Additional guidance	Mark
(iv)	an explanation linking:  • (the water) contains {chloride / fluoride, nitrate / sulfate / copper / magnesium / ions / salts } (1)	allow chemicals / minerals / substances ignore particles / metals / elements / molecules / things	(2) A03 2a - 1 2b - 1
	(therefore) more than just water (molecules) / it does not contain just water / which are impurities / pure substances contain only one substance / pure water does not contain ions (1)	allow pure water is just H <sub>2</sub> O / contains hydrogen and oxygen only  reject pure substances contain only one element  allow pure water does not contain any of {ions in the table / these ions / specifically named ions from table} for 2 marks	

### Q2.

Question number	Answer	Additional guidance	Mark
(i)	0.6		(1)
	or		
	3.9 6.5		

Question number	Answer	Additional guidance	Mark
(ii)	longer paper/ different {medium/ paper}	ignore repeat experiment ignore more accurate ruler	(1)

Question number	Answer	Additional guidance	Mark
(iii)	An explanation linking		(2)
	use a different solvent (1)	allow any suitable named solvent	
	so that the ink will dissolve (1)	allow because the ink does not dissolve in water	

#### Q3.

Question number	Answer	Mark
	C the impurities are harmless C is the only correct answer.	(1) AO2
	A, B and D are incorrect as the properties are not relevant	

#### Q4.

Question number	Answer	Mark
(i)	solid (1) condensation (1) distillate (1)	(3)

Question number	Answer	Mark
(ii)	An explanation that combines identification - application of knowledge (1 mark) and reasoning/justification - application of understanding (1 mark):  (use a) thermometer (1)  the temperature is {the boiling point of water / 100°C} (1)	(2)

#### Q5.

Question number	Answer	Mark
(i)	C the impurities in the waste water settle to the bottom of their container C is the only correct answer.	(1) AO1
	A, B and D are incorrect because no sediment is formed	

Question number	Answer	Additional guidance	Mark
(ii)	to remove {insoluble substances / solids}	allow named solid substances eg sand ignore materials removed by initial screening eg twigs, debris etc ignore to produce clean/pure water reject remove bacteria	(1) AO1

Question number	Answer	Additional guidance	Mark
(iii)	to kill {bacteria /	ignore to cleanse, purify, clean, make safe	(1)
	microorganisms}	allow to remove bacteria / germs	AO1

### Q6.

Question number	Answer	Additional guidance	Mark
(i)	Filter paper  Conscal Teals  (2)	reject diagram with funnel 'closed' at bottom/top but can score MP2 allow 'closed' filter paper allow any suitable apparatus for conical flask e.g. beaker	(2)
	diagram: funnel with separate filter paper and (conical) flask (1) labels: (filter) funnel and filter paper and (conical) flask (1)	'flask' label should be appropriate to apparatus drawn ignore labelling of filtrate/residue etc	

Question number	Answer	Additional guidance	Mark
(ii)	a description including any three from:  • heat solution (to concentrate) (1)  then either  • leave solution {in warm place / to crystallise} (1)  • scrape crystals (from container) / pat dry between filter papers (1)  OR  • leave solution {to crystallise / to cool} (1)  • filter off crystals / decant liquid from the crystals / pat dry between filter papers / dry in oven (1)	if no other marks are scored , allow max 1 for crystallisation (1)	(3)

## Q7.

Question number	Answer	Additional guidance	
An answer that describes the following points of application of knowledge and understanding to provide a logical description:		answers describing simple or fractional distillation are allowed Fully labelled correct diagram would score MP1 (and MP2 if heat indicated)	(3)
	(fractional) distillation (1)     heat/ boil (1)	allow 'raise temp. to 50°C' etc. (temp >42 and <90)	
	nickel tetracarbonyl {{boils/evaporates} off first / is obtained from top of column/ vapour is condensed by condenser} ORA (1)	allow lower boiling point liquid for nickel tetracarbonyl	

Q8.

Question number	Indicative content	Mark
*	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlines in the generic mark scheme.  The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.  SEPARATION  distillation  solution in flask heat water evaporates water vapour into condenser cooling water jacket water vapour condensed back to liquid water collected in beaker solid remains in flask boiling point = 100 °C  TEST  take distilled water in a test tube add a few drops of neutral litmus/Universal Indicator correct neutral colour OR pH probe pH = 7	(6) A01 A03

Level	Mark	Descriptor	Additional Guidance
	0	No rewardable material.	Read whole answer and ignore all incorrect material/ discard any contradictory material then:
Level 1	1–2	Additional Guidance	Gives simple parts of the plan or describes the test to show the water is neutral. e.g. heat the solution (1) use the Bunsen burner to heat the solution (2) use universal indicator to test the water, it should turn green (2)
Level 2	3–4	Additional Guidance	Gives a more detailed plan or a simple part of the plan with the test to show the water is neutral. e.g. heat the solution with a Bunsen burner, the water evaporates at 100°C (3) Heat the solution in a flask, the water will evaporate and move into the condenser where it turns back to a liquid (4) Heat the solution to evaporate the water and then use the condenser, use universal indicator to test the water which should turn green. (4)
Level 3	5-6	Additional Guidance	Gives a more detailed plan <b>and</b> the test to show the water is neutral. e.g. heat the solution, the water will evaporate and move to the condenser where it will cool and turn back to a liquid. Test the water neutral litmus paper (5) Use distillation, heat the solution in a flask, the water vapour moves to the condenser where it cools and turns back to a liquid. The water can be tested with a pH meter the reading should be pH 7 (6)

#### Q9.

Question Number	Answer	Additional guidance	Mark
(i)	An explanation linking		(2)
	water {boils / evaporates} (to form steam / water vapour / leaving salt behind) (1)	ignore sea water evaporates	AO 1 1
	(steam / water vapour)     condenses (to form pure     water) (1)	sea water evaporates and condenses scores 1 overall	
	allow alternative wording for evaporate and condense	mark independently	

Question Number	Answer	Additional guidance	Mark
(ii)	An explanation linking		(2)
	use a (Liebig) condenser / surround test tube with (beaker of) {iced/cold} water / wrap delivery tube with cold cloth (1)	ignore anti bumping granules / fractionating column	AO 3 3b
	to increase effectiveness of cooling / amount of condensation / remove the heat energy more effectively /	allow alternative suitably described methods / prevent water vapour escaping / cools water vapour faster	
	ensure all the water vapour condenses (1)	ignore sea water vapours a closed system scores 0 overall	
		mark independently	

#### Q10.

Question number	Answer	Additional guidance	Mark
(i)	(delivery) tube	allow {glass / rubber / plastic} tube	(1) AO2-1

Question number	Answer	Additional guidance	Mark
(ii)	an explanation linking: add bung / cork (to top of flask) (1)  (so) {water / vapour / gas / steam} cannot escape (from top of flask) / will go into {(delivery) tube/ X} (1)	ignore seal / block / lid / cover etc allow stopper allow incorrect naming of flask ignore 'so water is collected' allow incorrect naming of delivery tube mark independently for max 1 allow replacement of X with a (Liebig) condenser / cooling of delivery tube / ice bath around test tube (1)	(2) AO3 3b

## Q11.

Question number	Answer	Additional guidance	Mark
	An explanation that combines identification - knowledge (1 mark) and reasoning/justification - understanding (1 mark):  pure water has no other {ions/substances/contaminants} present (1)  (other ions) may give a {false/incorrect} result (1)	ORA  allow otherwise results are not {reliable /accurate} ORA ignore unfair/fair test	(2)
<u> </u>		ignore unfair/fair test	

### Q12.

Question number	Answer	Additional guidance	Mark
(i)	An explanation linking  • pure water contains {only water (molecules)/ only one substance}  / impure water contains more than one substances (1)  • identification from label of impurity: dissolved solids/ calcium (ions) / sodium (ions) / hydrogencarbonate (ion) / ions	ignore all references to pH	(2) A03

Question number	Answer	Mark
(ii)	pH (=7)	(1) AO2

Question number	Answer	Mark
(iii)	15 mg with or without working scores 2	(2) AO2
	• 250/1000 (1) (=0.250) • 60 x 250/1000 (1) (=15)	
	OR • 1000/250 (1) = 4 • 60/4 (1) (=15)	

## Q13.

Question number	Answer	Additional guidance	Mark
(i)	to measure the temperature of the {water vapour / steam / gas} passing into the condenser	to measure the boiling point of the water / the vapour should be at 100 °C when collected allow does not measure accurate boiling point where thermometer is on the diagram (or words to that effect)	(1)
(ii)	beaker not under condenser exit / water entering condenser in wrong place / water flow in condenser wrong way round	ignore references to no Bunsen burner / clamps shown  allow beaker not under where (condensed) water comes out / no {anti-bumping granules / chips}  allow beaker {is too far away (from the condenser exit)/ too far to the right / is not in the right place / needs to be closer}  reject water out (without reference to end of condenser)	(1)

### Q14.

Question number	Answer	Mark
(i)	D	(1)

Question number	Answer	Additional guidance	Mark
(ii)	An explanation that combines identification - knowledge (1 mark) and reasoning/justification - understanding (1 mark):  liquid goes through the paper (1) solid does not pass through (1)		(2)
		allow <u>only</u> liquid passes through (2)	

#### Q15.

Question number	Answer	Additional guidance	Mark
(i)	water (in the paper) (1)	allow (chromatography/filter) paper	(1)

Question number	Answer	Additional guidance	Mark
(ii)	EITHER so that the solvent will run through the spots	ignore spots will smudge	(1)
	OR otherwise the spots transfer into the solvent	allow water in place of solvent	
		allow spots {soak/mix/dissolve/wash} into water	
		allow spots will not rise up the paper/ spots will not separate	
		allow (food) colourings/dyes/colours/dots for spots throughout	

Question number	Answer	Additional guidance	Mark
(iii)	(V is) insoluble (in the solvent)	ignore immiscible	(1)
		allow doesn't contain any soluble substances	

Question number	Answer	Additional guidance	Mark
(iv)	An explanation that combines identification via a judgement (1 mark) to reach a conclusion/reasoning (1 mark):  • (mixture) Z (1)  • because it gives {the greatest number of / the most / 4} spots (1)	ignore 'greatest number of soluble coloured substances' allow dots for spots 2 <sup>nd</sup> mark dependent on 1 <sup>st</sup>	(2)

Question number	Answer	Additional guidance	Mark
(v)	• R <sub>f</sub> = <u>5.8</u> (1) (=0.8787) 6.6	award full marks for correct numerical answer to 2 sig figs without working.	(2)
	• = 0.88 (1) (to 2 sig fig)	0.87878787 rounded to any other no of sig figs (1)	
		any manipulation of the 2 numbers with working rounded to 2sf (1)	
		ignore any units	

#### Q16.

Question number	Answer	Mark
	A air The only correct answer is A.  B is incorrect since carbon dioxide is a compound and not a mixture. C and D are incorrect because gold and titanium are both metallic elements and not mixtures.	(1)

### Q17.

Question Number	Answer	Additional guidance	Mark
(i)	(2) (3) 6 4 1 5 (2)  any two in the correct order and adjacent to each other max (1)	64 / 15 / 41 next to each other in this order in any position (1)	(2)

Question number	Answer	Additional guidance	Mark
(ii)	An explanation linking     mixture T (1)     because it gives {the greatest number / 5} spots (1)	allow dots or other suitable descriptor allow more {spots / separated (coloured) substances} ignore coloured substances (alone) / colours / references to spots moving further up the paper	(2)

Question Number	Answer	Additional guidance	Mark
(iii)	0.29 with or without working scores 2		(2)
	R <sub>f</sub> = <u>2.30 (</u> = 0.2875) (1)	allow <u>8.00</u>	
	8.00	2.30	l l
	= 0.29 (1)	= 3.5 (1)	
		(other way round for 1 mark)	
		8.00 + 2.30 = 10 (1)	
		8.00 - 2.30 = 5.7 (1) (2 sf)	
		8.00 x 2.3 (= 18) (2 sf)	

## Q18.

Question Number	Answer	Additional guidance	Mark
(i)		reject arrows drawn coming out of the middle of the condenser	(1) AO 1 2

Question Number	Answer	Additional guidance	Mark
(ii)	An explanation linking		(2)
	• to cool (1)		AO 1 2
	<ul> <li>so (water) {vapour/gas} turns to liquid (1)</li> </ul>	allow water for liquid allow steam for vapour	
		if cooling the ink max 1 for first marking point only	

Question Number	Answer	Additional guidance	Mark
(iii)	electric heater / heating mantle	allow spirit burner allow hot plate/heated	(1)
		plate allow blow torch	AO 2 2
		ignore heater alone	
		ignore Bunsen burner ignore hot water bath	

#### Q19.

Answer	Mark
A chromatography	(1)
The only correct answer is A	AO 1 1
<b>B</b> is not correct this would not separate colours	
C is not correct because this would not separate colours	
<b>D</b> is not correct because this would not separate colours in best way	
	A chromatography  The only correct answer is A  B is not correct this would not separate colours  C is not correct because this would not separate colours  D is not correct because this would not separate colours in

## Q20.

Question number	Answer	Additional guidance	Mark
	either  add dilute hydrochloric acid (to solid mixture sample to react with the magnesium to form magnesium chloride solution) (1)  filter the mixture (to remove titanium) / filter off the titanium (1)  or  filter the mixture (to remove titanium) / filter off the titanium) / wash the titanium (1)		(2) AO3

### Q21.

Question number	Answer	Additional guidance	Mark
	(simple) distillation	allow fractional distillation	(1) AO2

## Q22.

Question number	Answer	Additional guidance	Mark
	An answer including  best amount of A is 150 (mg) (1)  150 mg A removes more than 100 (mg) B (1)  so it is better to use salt A than salt B (1)	ignore incorrect units of mass	(3) AO3
	OR  • because (at peak activity) <b>B</b> removes a higher percentage per gram than <b>A</b> (1)  • so less salt would be needed / more efficient (1)  • so it is better to use salt <b>B</b> than salt <b>A</b> (1)		
	OR  • 150 mg of A removes 48% impurities • 100 mg of B removes 44% impurities • so salt A is better (than salt B) as more impurities are removed (1)  OR • 100 mg of A removes 40% impurities • 100 mg of B removes 44% impurities • so salt B is better (than salt A) as more impurities are removed for same mass of salt (1)	allow so salt B is more effective in smaller quantities	