Questions
Q1.
Some questions must be answered with a cross in a box \boxtimes). If you change your mind about an answer, put a line through the box \bigcirc) and then mark your new answer with a cross (\boxtimes).
This question is about gases.
Some damp litmus paper is placed in a gas. The litmus paper is bleached. Which gas bleaches damp litmus paper?
A carbon dioxide B chlorine C hydrogen D oxygen
(Total for question = 1 mark)
Q2.
Some questions must be answered with a cross in a box \boxtimes). If you change your mind about an answer, put a line through the box \boxtimes) and then mark your new answer with a cross (\boxtimes).
This question is about elements in group 7, the halogens.
Which halogen is a green gas at room temperature and pressure?
A bromine B chlorine C fluorine D iodine
(Total for question = 1 mark)

Q3.

The elements in group 7 of the periodic table are known as the halogens.	
Explain why chlorine is more reactive than iodine.	
	(3)
(Total for question = 3 mark	(S)

Q4.

A piece of burning sodium is placed into a gas jar containing chlorine gas, as shown in Figure 5.




Figure 5

At the end of the reaction, the inside of the gas jar is coated with white crystais.	
Identify the white crystals.	

.....

(Total for question = 1 mark)

(7)

Hydrogen chloride gas and sulfur dioxide gas are dissolved in separate test tubes of water	er.
Blue litmus paper is dipped into each test tube.	

State and explain the colour change you would observe in each test tube.

	(3)
	•••••
	•••••
(Total for question = 3 i	marks)

Q6.

The elements in group 7 of the periodic table are known as the halogens.	
Sodium also reacts with bromine.	
(i) Write the balanced equation for the reaction between sodium and bromine.	
	(2)
	•••
(ii) In another experiment, a student adds colourless sodium bromide solution to chlowater.	orine
State what you would see in this reaction.	/7)
	(1)
	••••
(iii) The ionic equation for the reaction between sodium bromide and chlorine is:	
2Br- + Cl2 → 2Cl- + Br2	
Explain which species has been oxidised in this reaction.	
	(2)
	••••
	••••
(Total for question = 5 m	narks)

Q7.

This question is about elements in group 7, the halogens.

Bromine, chlorine and iodine all react with heated iron wool.

Figure 9 shows the speed of these reactions.

halogen description of reaction with heated iro	
bromine	reacts quickly
chlorine	reacts very quickly
iodine	reacts slowly

Figure 9

(i) When iron wool is heated with chlorine, iron chloride is formed. Write the word equation for this reaction.	(7)
(ii) Give the name of the halogen in Figure 9 that is the most reactive with iron.	(7)
(iii) 34.4 % of the mass of iron chloride is iron. Calculate the mass of iron and the mass of chlorine in 125 g of iron chloride.	(3)
mass of iron =	
(Total for question = 5 mar	ks)

1	١	-	~	
L	,	•)	

Fluorine, chlorine, bromine, iodine and astatine are eleme	ents in group 7.
Describe the test to show that a gas is chlorine.	
	(2)
	(Total for question = 2 marks)
Q9.	
Potassium reacts with fluorine to form potassium fluoride Potassium fluoride is a solid. Complete the balanced equation for this reaction and add	
	(3)
$\dots K (\dots K + F_2(g) \rightarrow \dots K$	F ()
	(Total for question = 3 marks)
Q10.	
Aluminium reacts with chlorine to form aluminium chlorid	e.
Write the balanced equation for this reaction.	
write the balanced equation for this reaction.	(3)
	(Total for question = 3 marks)

Q11.

Fluorine, chlorine, bromine, iodine and astatine are elements in group 7.

Bromine, chlorine and iodine are dissolved in water to make aqueous solutions.

Potassium iodide solution is added to each of these solutions.

Figure 6 shows the observations.

halogen	initial colour of aqueous solution	final colour of mixture
bromine	orange	brown
chlorine	pale green	brown
iodine	brown	brown

Figure 6

Explain the observations shown in the table.	
	(4)
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••


(Total for question = 4 marks)

Q12.


Chlorine, bromine and iodine are elements in group 7 of the periodic table.	
If chlorine solution is added to sodium bromide solution a reaction occurs.	
chlorine + sodium bromide → sodium chloride + bromine	
Give a reason why this reaction occurs.	
	7)
(Total for guestion = 1 marl	K

Q13.

Figure 14 shows the melting points and boiling points of elements in group 7 of the periodic table.



(i) Give, using Figure 14, the boiling point of bromine.



(Total for question = 2 marks)

Q14.

Sodium iodide solution is colourless.

When a solution of bromine is added to sodium iodide solution, a reaction occurs.

2NaI + Br2 → 2NaBr + I2

(i) The mixture turns brown.	
Give the name of the substance causing the brow	n colour.
_	(1)
(ii) Explain which substance has been reduced in this	s reaction.
	(2)
	(Total for question = 3 marks)

Q15.

Which of the following rows gives the colours of the group 7 elements chlorine and bromine at room temperature?

(7)

		chlorine	bromine
×	A	red-brown	purple
Ň	В	yellow-green	grey
	C	yellow-green	red-brown
1	D	grey	red-brown

(Total for question = 1 mark)

Q16.

Answer the question with a cross in the box you think is correct \boxtimes . If you change your mind about an answer, put a line through the bo \bowtie and then mark your new answer with a cross \boxtimes .

This question is about some of the elements in group 7 of the periodic table.

Which row in the table correctly shows the colours and physical states of the elements at room temperature?

(1)

□ A	iodine: purple gas	bromine: yellow liquid
☑ B	chlorine: pale green gas	iodine: brown solid
	bromine: red-brown liquid	chlorine: yellow liquid
□ D	iodine: dark grey solid	bromine: red-brown liquid

(Total for question = 1 mark)

Q17.

Figure 2 shows the melting and boiling points of bromine and iodine.

element	melting point in °C	boiling point in °C
bromine	-7	59
iodine	114	184

Figure 2

Using the information in Figure 2, which row shows the physical states of these elements at $50 \,^{\circ}\text{C}$?

(7)

	bromine	iodine
□ A	liquid	gas
B	solid	liquid
C	gas	solid
D	liquid	solid

(Total for question = 1 mark)

Q18.

(i) Figure 13 lists the halogens in the order in which they appear in group 7 of the periodic table.

The melting points of four of the halogens are given.

halogen	melting point in °C
fluorine	-220
chlorine	-101
bromine	-7
iodine	
astatine	302

	Figure 13
Es	stimate the melting point of iodine.
	(1)
	°C
(ii) B	romine reacts with heated iron.
G	ive the name of one halogen that would react with iron more vigorously than bromine.
	(Total for question = 2 marks)

Q19.	
Describe what is seen when chlorine water is added to potassium bromide solution and the mixture shaken.	he
(:	2)
(Total for question = 2 mark	s)
Q20.	
Describe what you wouldsee if damp, blue litmus paper is placed into chlorine gas.	2)

(Total for question = 2 marks)

Q21.	
When the gas hydrogen chloride, HCl, is dissolved in water, Blue litmus paper dipped in this solution turns red. State why the litmus paper turns red.	a solution forms.
	(٦)
	(Total for question = 1 mark)
Q22.	
Fluorine, chlorine, bromine, iodine and astatine are elemen	ts in group 7.
There is a trend in the colour and the state of the halogens	at room temperature.
Predict the colour and state of astatine at room temperatur	e.
	(2)
colour	

(Total for question = 2 marks)

Edexcel Chemistry GCSE - Group 7

Q23.	
Chlorine, bromine and iodine are elements in group 7 of the periodic table. Chlorine is toxic.	
State one safety precaution that should be taken when using chlorine in the laboratory.)
(Total for question = 1 mark	()

Q24.	
------	--

Answer the questions with a cross in the boxes you think are correct \boxtimes . If you change your mind about an answer, put a line through the bo \bigotimes and then mark your new answer with a cross \boxtimes .

Fluorine, chlorine, bromine and iodine are elements in group 7 of the periodic table.

(i) Sta	te the	e name given to the group 7 elements.	(1)
		one other element that is in group 7. e periodic table on the back of this exam paper to help you.	(7)
	Α	element is liquid at room temperature and pressure? fluorine chlorine bromine iodine	(7)
(iv) W		element is dark-grey in colour at room temperature and pressure? fluorine chlorine bromine iodine	(7)
		(Total for question = 4 m	arks

Q25.	
Fluorine, chlorine, bromine, iodine and astatine are elemen	nts in group 7.
Bromine reacts with hydrogen to form hydrogen bromide. Hydrogen bromide dissolves in water to form a solution. State the name of the solution formed.	
	(T)
	(Total for question = 1 mark)
Q26.	
Chlorine reacts with hydrogen to form hydrogen chloride.	
Write the balanced equation for this reaction.	
	(3)
	(Total for question = 3 marks)

Edexcel Chemistry GCSE - Group 7

Q27.

Fluorine, chlorine, bromine, iodine and astatine are elements in group 7.

Fluorine reacts vigorously with iron to produce iron(III) fluoride, FeF3.

Write the balanced equation for this reaction.

(2)

(Total for question = 2 marks)

Q28.

Chlorine, bromine and iodine are elements in group 7 of the periodic table.	
Chlorine reacts with hydrogen to form hydrogen chloride.	
(i) Write the word equation for this reaction.	
	(1)
(ii) Hydrogen chloride dissolves in water to form an acidic solution.	
State what is seen when blue litmus paper is placed into this solution.	(7)
 (iii) A chlorine atom has seven electrons in its outer shell. A hydrogen atom has one electron in its outer shell. Complete the dot and cross diagram of a molecule of hydrogen chloride. Show outer shell electrons only. 	
H × Cl	(1)
(iv) Name the type of bonding in a molecule of hydrogen chloride.	
	(7)
(Total for question = 4 r	marks)

Mark Scheme

Q1.

Question number	Answer	Mark
	B chlorine is the only correct answer.	(1) AO1 1
	A, C and D are incorrect because only chlorine bleaches litmus	84846.000000

Q2.

Question number	Answer	Mark
	B chlorine is the only correct answer	(1) A01 1
	A, C and D are incorrect because only chlorine is green	VX.525005555555

Q3.

Question number	Answer	Additional guidance	Mark
	outer {shell / electron(s)} is further from nucleus in iodine/ORA (1)	accept reverse argument throughout allow iodine has more shells / larger atomic radius / ORA reject 'more outer shells' chlorine has {fewer (electron) shells / smaller atomic radius}	(3) AO1 1
	{force / attraction} between nucleus and (electrons in) outer shell is less in iodine/ORA(1) iodine does not gain (an) electron(s) as readily/ORA (1)	allow shielding arguments for either MP1 OR MP2 for either iodine or chlorine allow outer electrons / incoming electron	
		if no other mark scored (group 7 elements) gain one electron (when they react) (1)	

Q4.

Question number	Answer	Additional guidance	Mark
	sodium chloride	allow NaCl ignore 'salt' reject sodium chlorine / incorrect formula	(1) AO2 1

Q5.

Question number	Answer	Additional guidance	Mark
	An explanation to include three from :	all MPs are marked independently	(3) AO1
	• goes red (1)	allow pink for red reject other colours for MP1 reject references to test for	1 AO2 1
	(HCl) is an acid (1)	chlorine/ bleaching for MP1	
		allow hydrogen chloride for HCl	
	• goes red (1)		
	• (SO ₂ solution) is an acid (1)	allow pink for red reject other colours for MP3 reject references to test for chlorine/ bleaching for MP3	
		both go red/ they go red (2) for MP1 and MP3 both are acids (2) for MP2 and MP4	

Q6.

Question number	Answer	Additional guidance	Mark
(i)	2Na + Br ₂ → 2NaBr	ignore state symbols even if incorrect	(2) A02 2
	1 mark for correct formulae 1 mark for balancing correct formulae		

Question number	Answer	Additional guidance	Mark
(ii)	turns yellow / orange (liquid / solution)	reject brown as standalone colour ignore brown as in 'yellow-brown' ignore red as in 'red-orange' reject other changes eg effervescence	(1) AO2 2

Question number	Answer	Additional guidance	Mark
(iii)	bromide (ions)/ (2)Br ⁻ (1)	reject bromine / Br	(2) AO1 1
	loses/lost electrons (1)	allow bromine loses electrons for MP2 only reject answers in terms of {chlorine / chloride} being oxidised	
		reject Br2 loses electrons	

Q7.

Question number	Answer	Additional guidance	Mark
(i)	iron + chlorine → (1) → iron chloride (1)	allow = for → MP1: allow iron wool/ reactants in either order/ ignore heat MP2: reject if extra products but ignore heat reject more than one arrow for both marks e.g. iron → chlorine → iron chloride if symbol equation given only allow: Fe + Cl ₂ → FeCl ₂ (2) OR 2Fe + 3Cl ₂ → 2FeCl ₃ (2) all formulae must have correct capital and small letters and subscripts	(2) A02 1

Question number	Answer	Additional guidance	Mark
(ii)	chlorine	allow CL / Cl / Cl ₂	(1) A03 2

Question number	Answer	Additional guidance	Mark
(iii)	iron = 43 and chlorine = 82 scores 3 with or without working	one correct and one incorrect (or missing) value with or without working scores 2	(3) A02 1
	34.4 x 125 (1) 100	allow ECF	
	= 43 given as mass of iron (1)		
	125 - 43 = 82 given as mass of chlorine (1)	allow ECF but must add up to 125g for MP3	
	OR		
	65.6 100 x 125 (1)		
	= 82 given as mass of chlorine (1)		
	125 - 82 = 43 given as mass of iron (1)	allow ECF but must add up to 125g for MP3	
		allow final answers reversed on answer lines for 2 marks with or without working.	

Q8.

Question number	Answer	Additional guidance	Mark
	A description to include		(2)
	(damp) litmus / indicator paper	allow dip litmus into solution	
	bleaches / goes white (1)	reject bleaches then goes red	
		MP2 dependent on MP1	

Q9.

Question number	Answer	Additional guidance	Mark
	2K (s) + F ₂ (g) → 2KF (s) 2 K (1) 2 KF (1) s, s (1)	ignore words	(3)

Q10.

Question Number	Answer	Additional guidance	Mark
	2Al + 3Cl ₂ → 2AlCl ₃ (3)	penalise the use of 'CL' or 'AL' once only ignore state symbols allow multiples	(3) AO 2 1
	LHS (1) RHS (1) halancing of correct formulae (1)	ignore use of capital L for MP3	
	balancing of correct formulae (1)		

Q11.

Question number	Answer	Additional guidance	Mark
	an explanation linking 4 of the following		(4)
	{chlorine / bromine} are more reactive than iodine / iodine is the least reactive (1)	ignore iodide in MP1	
	(in the reaction of chlorine with potassium iodide) chlorine displaces iodine / iodine formed / iodide ions oxidised (1)	In MP2 and MP3: allow 'iodide displaced' mark(s) could be scored in word or symbol equations	
	(in the reaction of bromine with potassium iodide) bromine displaces iodine / iodine formed / iodide ions oxidised (1)	(symbol equations do not have to be balanced and allow I for I ₂)	
	brown colour of final mixture is due to iodine (1)	Name Andrews & Burn	
	iodine with KI has no reaction / iodine cannot displace iodine from its compound (1)	allow iodine cannot displace itself	

Q12.

Question number	Answer	Additional guidance	Mark
	chlorine is more reactive than bromine / chlorine can displace bromine	ignore "chlorine is more reactive" alone	(1)

Q13.

Question number	Answer	Mark
(i)	any value between 51 (°C) and 70 (°C)	(1)

Question number	Answer	Mark
(ii)	iodine and astatine	(1)

Q14.

Question number	Answer	Additional guidance	Mark
(i) iodine	iodine	reject iodide; ignore formulae	(1)

Question number	Answer	Additional guidance	Mark
(ii)	An explanation to include: • bromine (1)	Mark independently	(2)
	 because electrons are gained (1) 	allow any number of electrons	

Q15.

Question number		
	C yellow-green red-brown is the only correct answer A gives the colours for iodine vapour and chlorine gas B gives the colours for solid iodine and iodine vapour D gives the colours for bromine liquid and iodine vapour	(1)

Q16.

Question number	Answer	Mark
	D iodine: dark-grey solid bromine: red-brown liquid Is the only correct answer	(1)
	A, B and C all contain at least one incorrect piece of information	A01

Q17.

Question number	Ans	wer			Mark
	D	liquid	solid	is the only correct answer	(1)
	A, E	and C a	are incor	rect because bromine is a liquid and iodine is a solid at 50 °C	

Q18.

Question Number	Answer	Additional guidance	Mark
(i)	any value from 20 to 301	allow a range within these numbers e.g. 25 to 45	(1) AO 1 1
		answer may be given in the table. if values are given on the answer line and the table mark only the answer on the answer line	

Question Number	Answer	Additional guidance	Mark
(ii)	fluorine/ chlorine	reject iodine / astatine	(1) AO 2 1
		allow F/F ₂ /Cl/Cl ₂	A

Q19.

Question Number	Answer	Additional guidance	Mark	
	A description including the following points :		(2) AO 1 2	
	(potassium bromide solution) colourless (1)	ignore clear ignore reference to colour of chlorine water /change in colour		
	(mixture) turns yellow / brown / orange / red (1)	allow colour combinations e.g. yellow-orange reject additional incorrect observations for MP2 but ignore yellow/orange/red/brown vapours		

Q20.

Question Number	Answer	Additional guidance	Mark
	A description to include (blue litmus) (first turns) red (1) (then) bleaches / turns white (1)	allow shades of red and pink but not other colours e.g. red-purple allow colour disappears/goes colourless ignore yellow/ colour fades /discolours white then red = 0; just 'goes white' = 1	(2) AO 1 2

Q21.

Question Number	Answer	Additional guidance	Mark
	(the solution is) acid(ic) / contains {hydrogen ions/ H ⁺ }	allow pH < 7 allow hydrogen chloride is acidic	(1) AO 2 1
		If incorrect identity of acidic solution then 0 marks (e.g. chlorine is acidic = 0)	

Edexcel Chemistry GCSE - Group 7

Q22.

Question number	Answer	Additional guidance	Mark
	colour: grey/ black (1) state: solid (1) black/grey (1)	Allow any shade of grey/ gray	(2)

Q23.

Question number	Answer	Additional Guidance	Mark
	use of fume-cupboard / fume hood	allow adequate ventilation gloves (to prevent skin absorption) ignore breathing apparatus, gas mask, mask, PPE	(1)

Q24.

Question number	Answer	Mark
(i)	halogens	(1)
ii.		A01

Question number	Answer	Additional guidance	Mark
(ii)	astatine	allow At / At ₂	(1)
G			A01

Question number	Answer	Mark
(iii)	C bromine	(1)
	A and B are not correct as they are gases at room temperature and pressure D is not correct as iodine is a solid at room temperature and pressure	A01

Edexcel Chemistry GCSE - Group 7

Question number	Answer	Mark
(iv)	D iodine	(1)
	A is not correct as fluorine is pale yellow at room temperature and pressure B is not correct as chlorine is green at room temperature and pressure C is not correct as bromine is red-brown liquid at room temperature and pressure	A01

Q25.

Question number	Answer	Additional guidance	Mark
	hydrobromic acid (1)	Ignore hydrogen bromide solution Ignore HBr(aq)	(1)

Q26.

Question number	Answer	Additional guidance	Mark
	Cl ₂ + H ₂ → 2HCl (3)	do not penalise incorrect small/ capital letters	(3)
	$Cl_2 + H_2 \rightarrow (1)$	for left hand side formulae, do not allow Cl ² or Cl2, but allow MP3 if correctly balanced allow reactants in either order	
	→ HCl (1) balancing of correct formulae (1)	allow ClH for HCl allow = for → allow multiples	
		ignore state symbols	
		if molecules have a + or – charge do not allow mark for formulae but allow MP3 for correct balancing	

Q27.

Question number	Answer	Additional guidance	Mark
	2Fe + 3F ₂ → 2FeF ₃ (2)	allow multiples	(2)
	correct formulae only (1) balancing of correct formulae (1)	reject Fe(III) on LHS reject incorrect capitals and subscripts reject charges on LHS but ignore charges on RHS. allow = for →	

Q28.

Question number	Answer	Additional guidance	Mark
(i)	hydrogen + chlorine → hydrogen chloride	answer must contain a "+" between reactants allow reactants on LHS in either order allow H ₂ + Cl ₂ → 2HCl allow multiples on balanced equation ignore state symbols	(1)

Question number	Answer	Mark
(ii)	(turns) red /pink	(1)

Question number	Answer	Additional guidance	Mark
(iii)	××	6 electrons drawn in outer shell of Cl (1)	(1)
	H 6 CI	ignore inner shells of electrons even if incorrect	

Question number	Answer	Additional guidance	Mark
(iv)	covalent	ignore other words reject ionic / metallic	(1)